

Atlantic Paste & Glue Co., Inc.

— MANUFACTURER OF SPECIALTY ADHESIVE PRODUCTS —

170 – 53rd Street, Brooklyn, New York 11232 USA

Tel: (718) 492-3648 / Fax: (718) 439-0039

Out of State: (800) 458-7454

E-Mail: catchmaster@att.net

MATERIAL SAFETY DATA SHEET

MSDS-96-4

April 1, 2003

PAGE 1

CATCHMASTER - PEST CONTROL

| <u>MODEL NO.</u> | <u>PRODUCT DESCRIPTION</u> |
|--------------------|--|
| 72MB-CHOCOLATE | SUPER MOUSE SIZE GLUE BOARDS |
| 72MB-CHERRY | SUPER MOUSE SIZE GLUE BOARDS |
| 72MB-PEANUT BUTTER | SUPER MOUSE SIZE GLUE BOARDS |
| 72MB | REGULAR MOUSE SIZE GLUE BOARDS |
| 72PBM | MOUSE SIZE GLUE BOARDS - MOLASSES |
| 72MB4.5 | MOUSE SIZE GLUE BOARDS |
| 72MBGL | MOUSE SIZE GLUE BOARDS |
| 72TB | <i>TASTY BANANA</i> MOUSE SIZE GLUE BOARDS |
| 150MBGL | MOUSE & INSECT SIZE GLUE BOARDS |
| 60RBGL | ECONO RAT GLUE BOARDS |
| 24GRB | RAT SIZE GLUE BOARDS |
| 48R | RAT SIZE GLUE TRAY (With Hercules Putty) |
| 48RNHP | RAT SIZE GLUE TRAY (W/O Hercules Putty) |
| 48RB | RAT SIZE GLUE TRAY (BULK) |
| 48WRG | WALK-IN REFRIGERATOR GLUE TRAY |
| 96M | MOUSE SIZE GLUE TRAYS |
| 100FF | FRUIT FLY TRAP |
| 100I | INSECT TRAP & MONITOR |
| 150RI | ROACH & INSECT TRAP & MONITOR |
| 288I | INSECT TRAP & MONITOR |
| 9FS10 | FLY GLUE STRING (1000 Feet) |
| 9FS15 | FLY GLUE STRING (1500 Feet) |
| 912 | MINI GOLD STICK |
| 915 | FLY & WASP CATCHER |
| 962 | LARGE GOLD STICK |
| 930 | <i>SPIDER WEB™</i> FLY GLUE TRAP |
| 935 | <i>EQUESTRIAN™</i> FLY GLUE TRAP |
| 902 | GIANT FLY GLUE TRAP W/ SEX ATTRACTANT |
| 948 | FLY GLUE TRAP W/ SEX ATTRACTANT |
| 924 | FLY GLUE TRAP FOR 901 FLY LIGHT UNIT |
| 925 | FLY GLUE TRAP FOR 911 FLY LIGHT UNIT |
| BG-1-84 | BULK GLUE EASYSREAD - 1 GALLON |
| BG-5-84 | BULK GLUE EASYSREAD - 5 GALLON |



MATERIAL SAFETY DATA SHEET

Atlantic Paste & Glue Co., Inc.

— MANUFACTURER OF SPECIALTY ADHESIVE PRODUCTS —

170 – 53rd Street, Brooklyn, New York 11232 USA
Tel: (718) 492-3648 / Fax: (718) 439-0039
Out of State: (800) 458-7454
E-Mail: catchmaster@att.net

MSDS-96-4

April 3, 2003

PAGE 2

CATCHMASTER – PEST CONTROL

PRODUCT IDENTIFICATION AND COMPOSITION

CATCHMASTER insect and/or rodent traps function by means of a permanently tacky polymeric coating.

These coatings contain the same group of resins coated on plastic trays or paper cardboard. However, the percentage of each component varies for each formula. Therefore, the following data apply to each of the following items marketed under the trade mark names of CATCHMASTER, GLUEE LOUEE, and DEAD END.

INGREDIENTS

The specific chemical identities of the ingredients of this mixture are considered by Atlantic Paste & Glue Co., Inc. to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title 29 of the Code of Federal Regulations.

HAZARDOUS COMPONENTS

OSHA has established no permissible exposure limits for this blend of polymers. However, no significant health and safety hazard is expected since individual components of blend have good health and safety profile.

PHYSICAL CHARACTERISTICS

Softening point: 50 - 70C. Boiling point: N/A. Volatile: N/A. Water Solubility: Negligible. Specific gravity: Greater than 0.80.

VAPOR PRESSURE, COLOR-ODOR-APPEARANCE

At 20C. Negligible. Appearance: Light straw color tacky coating. Fragrance - Cherry, Peanut Butter, Chocolate or without fragrance.

FIRE & EXPLOSION HAZARD

The Catchmaster glue tray is combustible in the same manner as paper.
Flash point of adhesive glue is higher than 200 F. LEL – N/A. UEL – N/A.
N.F.P.A. Rating: Health - 0. (Hazard very slight)
 Fire - 1. (Hazard slight)
 Reactivity - 0. (Hazard Very slight)

Atlantic Paste & Glue Co., Inc.

— MANUFACTURER OF SPECIALTY ADHESIVE PRODUCTS —

170 – 53rd Street, Brooklyn, New York 11232 USA
Tel: (718) 492-3648 / Fax: (718) 439-0039
Out of State: (800) 458-7454
E-Mail: catchmaster@att.net

MATERIAL SAFETY DATA SHEET

MSDS-96-4

APRIL 1, 2003

PAGE 3

CATCHMASTER – PEST CONTROL

FIRE FIGHTING

Use carbon dioxide or dry chemical to extinguish fires. Wear self-contained, positive pressure breathing apparatus and full fire fighting protective clothing. Handle like an oil fire.

REACTIVITY

Stability: Stable. Conditions to avoid: Do not combine with strong oxidizing agents. Polymerization: Will not occur. Hazardous Decomposition products: None other than ordinary products of combustion.

HEALTH HAZARDS

Accidental eye contact is very unlikely since product's active component is a nonflowing, pressure sensitive adhesive. It is a chemically and environmentally stable adhesive. Nevertheless, eye contact should be avoided, and if it does occur then a physician should be consulted immediately.

FIRST AID PROCEDURES

Skin Contact: Remove from skin with a mild hydrocarbon solvent such, as mineral spirits (paint thinner). Then further clean skin with soap and water. Alternate method: Hand or body lotion or creme will also safely remove the adhesive from skin or other surfaces.

Eye Contact: Call a physician immediately if eye contact is accidentally made.

CARCINOGENICITY LISTINGS: None

SAFE HANDLING & USE

Spill or leak procedure: Remove sources of ignition. Sweep up debris and place in waste disposal container. Waste disposal: Disposal must be made in accordance with applicable governmental regulations.

The information contained in this Material Safety Data Sheet is based on the best available data. Normal prudence and caution need to be employed in product use.

Notice: All above products are Pest Control Devices, and **not** Pesticides under U.S.A. - E.P.A. Regulations; and therefore are labeled **only** with our EPA Establishment No. 48377-N.Y.-1.